


What is claimed is:

1. A compound having formula (I)



and pharmaceutically acceptable salts thereof

wherein

n is 1 or 2;

A is hydrogen, C₁₋₆ alkyl, aryl, -SO₂R¹, -PO(OC₁₋₆ alkyl)₂, -PO(C₁₋₆ alkyl)₂, -CO(C₁₋₆ alkyl), -CO₂R², -(CH₂)_mCO₂H or -(CH₂)_mCO₂(C₁₋₆ alkyl),

wherein

R¹ is hydrogen, C₁₋₆ alkyl, C₃₋₇ cycloalkyl, aryl, -(CH₂)_maryl or -NR³R⁴

R² is C₁₋₆ alkyl, C₃₋₇ cycloalkyl, aryl, -(CH₂)_maryl or alkenyl, and

m is 1, 2 or 3,

wherein

aryl is unsubstituted, substituted phenyl or 5-6 membered aromatic heterocyclic ring, and

R³ and R⁴ are independently hydrogen, C₁₋₆ alkyl or C₃₋₇ cycloalkyl;

B is hydrogen;

C and D are both

phenyl unsubstituted or substituted with one or two substituents selected from C₁₋₄ alkyl, C₁₋₄ alkoxy, methylenedioxy, halogen, hydroxy and -NR⁴R⁵, or

C₃₋₇ cycloalkyl;

E, F, G, and H are independently CR⁵ or N,

wherein

R⁵ is hydrogen, C₁₋₄ alkyl, C₁₋₄ alkoxy, CF₃, halogen, hydroxy or -NR⁴R⁵; and

I is -C(NH)NH₂, -C(NH₂)NOH, or -CH₂NH₂.

2. The compound according to claim 1, wherein C and D are both selected from the group consisting of phenyl and cyclohexyl.

3. The compound according to claim 1, wherein I is -C(NH)NH₂.

4. The compound according to claim 1, wherein I is -C(NH₂)NOH.

5. The compound according to claim 1, wherein I is CH_2NH_2 .

6. The compound according to claim 1, wherein the compound is selected from the group consisting of

N-aminosulfonyl-D-diphenylalanyl-L-prolyl-[(4-aminodiphenyl)methyl]amide,
N-aminosulfonyl-D-diphenylalanyl-L-prolyl-[(4-aminomethylphenyl)methyl]amide,
N-aminosulfonyl-D-dicyclohexylalanyl-L-prolyl-[(4-aminodiphenyl)methyl]amide,
N-aminosulfonyl-D-diphenylalanyl-L-azetidine-2-carboxyl-[(4-aminodiphenyl)methyl]amide,
N-Aminosulfonyl-D-valinyl-L-prolyl-[(4-aminodiphenyl)methyl]amide,
N-aminosulfonyl-D-diphenylalanyl-L-prolyl-(6-aminodino-3-picolyl)amide,
N-aminosulfonyl-D-diphenylalanyl-L-prolyl-(6-aminomethyl-3-picolyl)amide,
N-aminosulfonyl-D-dicyclohexylalanyl-L-prolyl-(6-aminodino-3-picolyl)amide,
N-aminosulfonyl-D-diphenylalanyl-L-prolyl-(5-aminodino-2-picolyl)amide,
N-aminosulfonyl-D-diphenylalanyl-L-prolyl-[(2-aminodino-5-pyrimidyl)methyl]amide,
N-aminosulfonyl-D-diphenylalanyl-L-prolyl-[(4-aminodino-3-fluorophenyl)methyl]amide,
N-aminosulfonyl-D-diphenylalanyl-L-prolyl-[(4-aminodino-2-fluorophenyl)methyl]amide,
N-aminosulfonyl-D-diphenylalanyl-L-prolyl-[(4-aminodino-3-methylphenyl)methyl]amide,
N-aminosulfonyl-D-diphenylalanyl-L-prolyl-[(4-aminodino-3-aminophenyl)methyl]amide,
N-aminosulfonyl-D-diphenylalanyl-L-prolyl-[(4-aminodino-3-methoxyphenyl)methyl]amide,
N-t-butoxycarbonyl-D-diphenylalanyl-L-prolyl-[(4-aminodiphenyl)methyl]amide,
N-methoxycarbonyl-D-diphenylalanyl-L-prolyl-[(4-aminodiphenyl)methyl]amide,
N-propyloxycarbonyl-D-diphenylalanyl-L-prolyl-[(4-aminodiphenyl)methyl]amide,
N-benzylloxycarbonyl-D-diphenylalanyl-L-prolyl-[(4-aminodiphenyl)methyl]amide,
N-phenyloxycarbonyl-D-diphenylalanyl-L-prolyl-[(4-aminodiphenyl)methyl]amide,
N-methoxycarbonyl-D-dicyclohexylalanyl-L-prolyl-[(4-aminodiphenyl)methyl]amide,
N-methoxycarbonyl-D-diphenylalanyl-L-azetidine-2-carboxyl-[(4-aminodiphenyl)methyl]amide,
N-methoxycarbonyl-D-diphenylalanyl-L-prolyl-(6-aminodino-3-picolyl)amide,
N-methoxycarbonyl-D-dicyclohexylalanyl-L-prolyl-(6-aminodino-3-picolyl)amide,
N-methoxycarbonyl-D-diphenylalanyl-L-prolyl-(5-aminodino-2-picolyl)amide,
N-methoxycarbonyl-D-diphenylalanyl-L-prolyl-[(2-aminodino-5-pyrimidyl)methyl]amide,
N-methoxycarbonyl-D-diphenylalanyl-L-prolyl-[(4-aminodino-3-

fluorophenyl)methyl]amide,

N-methoxycarbonyl-D-diphenylalanyl-L-prolyl-[(4-amidino-3-methoxyphenyl)methyl]amide,

N-methoxycarbonyl-D-diphenylalanyl-L-prolyl-[(4-amidino-3-

5 methylphenyl)methyl]amide,

N-acetyl-D-diphenylalanyl-L-prolyl-[(4-amidinophenyl)methyl]amide,

D-diphenylalanyl-L-prolyl-[(4-amidinophenyl)methyl]amide,

N-methylsulfonyl-D-diphenylalanyl-L-prolyl-[(4-amidinophenyl)methyl]amide,

N-benzylsulfonyl-D-diphenylalanyl-L-prolyl-[(4-amidinophenyl)methyl]amide,

10 N-dimethylaminosulfonyl-D-diphenylalanyl-L-prolyl-[(4-amidinophenyl)methyl]amide,

N-dimethoxyphosphoryl-D-diphenylalanyl-L-prolyl-[(4-amidinophenyl)methyl]amide,

N-dimethylphosphoryl-D-diphenylalanyl-L-prolyl-[(4-amidinophenyl)methyl]amide,

N-carboxymethyl-D-diphenylalanyl-L-prolyl-[(4-amidinophenyl)methyl]amide,

N-carboxymethyl-D-diphenylalanyl-L-prolyl-(6-amidino-3-picoly)amide,

15 N-carboxymethyl-D-diphenylalanyl-L-prolyl-[(4-amidino-3-fluorophenyl)methyl]amide,

N-carboxymethyl-D-diphenylalanyl-L-prolyl-[(4-amidino-3-methylphenyl)methyl]amide,

N-(ethoxycarbonyl)methyl-D-diphenylalanyl-L-prolyl-[(4-hydroxyamidinophenyl)methyl]amide, and

20 N-phenyl-D-diphenylalanyl-L-prolyl-[(4-amidinophenyl)methyl]amide.

7. A method of modulating trypsin-like serine proteases comprising administering to a mammal an effective amount of the compound of claim 1.

25 8. A method of inhibiting trypsin-like serine proteases comprising administering to a mammal an effective amount of the compound of claim 1.

9. A method of modulating thrombin comprising administering to a mammal an effective amount of the compound of claim 1.

30

10. A method of inhibiting thrombin comprising administering to a mammal an effective amount of the compound of claim 1.